blue dolphin tapes

Who is Blue Dolphin ?

- Our team of specialists has been manufacturing tape for 15 years. We utilize state-of-the art technology and the most advanced, high quality materials available in today's market.
- What is Blue Dolphin ? Blue Dolphin is a UV Resistant Painters Masking Tape specially developed for both DIY and Professional users.
- Why Should I Use Blue Dolphin ?
 - UV Resistant
 - Sharp Paint Lines
 - Indoor/Outdoor Use
 - Multi Surface Use
- Flexible Backing
- How Can Blue Dolphin Benefit Me ?
 - Environmentally Friendly
 - Easy To Remove
 - High Efficiency
 - Competitive Pricing





Why It Works!

- UV Resistant, up to 14 days in direct sunlight
- Can be left on surface for up to 30 days
- No Paint Bleeding
- Sharp Paint Lines
- Clean and easy removal, will not leave a residue
- Eco Friendly





Which surfaces does blue dolphin masking tape work on?

- Can be used on a wide variety of surfaces
- Previously painted walls & ceilings
- Baseboards, doors & window frames
- Lacquered/varnished woodwork, metal knobs & hinges
- Plastic outlets, ceramic & natural stone tiles or countertops, glass & mirror





Q & A - General Usage Questions

Q: What types of surfaces is Blue Dolphin Masking Tape recommended for use on?

A: Can be used previously painted walls & ceilings, baseboards, door & window frames, lacquered/varnished woodwork, metal knobs & hinges, plastic outlets, ceramic & natural stone tiles or countertops, glass & mirror, and many more.

Q: How long can Blue Dolphin Masking Tape be left on the surface?

A: Up to 14 days if exposed to direct sunlight & UV and up to 30 days if not, for best results remove tape after 24 hours.

Q: How long does the paint have to be dry before applying Blue Dolphin Masking Tape?

A: We recommend only be applied to fully cured painted surfaces - that is paint that has been allowed to dry for over 14 days, preferably 30 days.

Q: If there is a residue left from the tape, how do I remove it?

A: Residue left from Blue Dolphin Masking Tape can easily be removed using soap and water, or window cleaner.

Q: What is the best way to remove Blue Dolphin Masking Tape after painting?

A: Slowly pull the tape off at a 90 degree angle while the paint is wet or dry. However, if the paint is completely dry use a cutting device (like a razor blade) to cut the tape loose, and ensuring a nice clean edge.

Q: What is the best way to apply Blue Dolphin Masking Tape to a surface?

A: Apply the tape in increments of 12" (preferably) as opposed to one long strip. If you apply tape in one long strip it stretches the tape, referred to as flagging, preventing the tape from laying flat and sticking to the surface. This results in paint bleeding under the tape leaving an unclean edge.

blue dolphin tapes®

				replice capes
		COMPARISON CHART		
	ShurRELEASE™	ScotchBlue™	Pro-Mask Blue™	Blue Dolphin™
FEATURES	Trim Painting Tape	Multi-Surface Painter's	Masking Tape	Painter's Masking Tape
	Shurtape	Masking Tape	IPG	XL-Tape
РНОТО	Startage Process and Start	RECEASE THE CALL PRICE AND THE RECEASE THE RECEASE OF THE RECEASE THE RECEASE OF THE RECEASE OF	Pro-Mask Bus that	No deally clean a casy related to very clean a casy related to very way could be a casy related to very set of the case of the case of the case of the case of the case to very set of the case of the
Size	1-7/8" x 180'	1-7/8" x 180'	1-7/8" x 180'	1-7/8" x 180'
Model #	# CP-27	# 2090	# PT-14	# MT-PGB
Description	 Painter's blue masking tape For use on cured painted walls, trim, glass and metal 14-day clean removal 	 Painter's blue masking tape For use on cured painted walls, trim, glass and metal 14-day clean removal 	 Painter's blue masking tape For use on cured painted walls, trim, windows 14-day clean removal 	 Painter's blue masking tape For use on cured painted walls, trim, glass and metal 14-day UV resistant 30-day clean removal
Color/ Finish	Blue	Blue	Blue	Special Blue
Tape Adhesion (N/2.5 cm)	4.7	7.0	5.6	< 7
Tape Adhesion	Medium	Medium	Medium	Medium
Thickness (Milimeters)	0.150	0.135	0.135	0.115
UV/ Sunlight Resinstant	Yes	Yes	Yes	Yes
UV Resinstant (Days)	N/A	N/A	14	14
Clean Removal (Days)	14	14	14	30
Maximum Number of days Left Up (Days)	N/A	14	N/A	30
Indoor/ Outdoor	N/A	Yes	Indoor	Yes
Surface You Are Masking	Trim	Trim	Trim	Trim
UL Listings	No	No	No	No
REACH /SGS / Eurofin (California VOC new law)	No	No	No	YES



Industry Trends

- Blue Dolphin already meets or exceeds the strictest EU regulations
- Tape is manufactured with "greenest" manufacturing process in industry
- Solvent Free formula
- Increase demands for Eco and User Friendly products
- Increased demand for clean paint lines
- Blue Dolphin leads in this technology with thinner crape paper and water resistant adhesive

